









Serial No. 10/532,794

IN THE CLAIMS:

1. (Currently amended) An organic electroluminescent device material comprising an aromatic amine derivative represented by any of the following formulas (I) to (IV) and (II):





Serial No. 10/532,794

(wherein each of A<sub>1</sub> to [[A<sub>12</sub>]] ~~A<sub>8</sub>~~ represents a ~~hydrogen atom~~, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted aryl group having 5 to 50 ring carbon atoms, a substituted or unsubstituted cycloalkyl group having 3 to 50 ring carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 ring carbon atoms, a substituted or unsubstituted arylamino group having 5 to 50 ring carbon atoms, a substituted or unsubstituted alkylamino group having 1 to 20 carbon atoms, or a halogen atom; [[m]] m<sub>1</sub> is an integer of 0 to 5, m<sub>2</sub> is an integer of 0 to 5, m<sub>3</sub> is an integer of 0 to 5, m<sub>4</sub> is an integer of 0 to 5, m<sub>5</sub> is an integer of 0 to 5, m<sub>6</sub> is an integer of 0 to 5, m<sub>7</sub> is an integer of 0 to 5, m<sub>8</sub> is an integer of 0 to 5, wherein at least one of m<sub>1</sub>, m<sub>2</sub>, m<sub>3</sub>, and m<sub>4</sub> is 1 or greater, and at least one of m<sub>5</sub>, m<sub>6</sub>, m<sub>7</sub>, and m<sub>8</sub> is 1 or greater, and wherein when [[m]] any of m<sub>1</sub>, m<sub>2</sub>, m<sub>3</sub>, m<sub>4</sub>, m<sub>5</sub>, m<sub>6</sub>, m<sub>7</sub>, and m<sub>8</sub> is 2 or more greater, groups represented by any of A<sub>1</sub> to [[A<sub>12</sub>]] ~~A<sub>8</sub>~~ may be identical to or different from one another, or may be linked together to form a saturated or unsaturated ring; each pair of A<sub>1</sub> and A<sub>2</sub>, A<sub>3</sub> and A<sub>4</sub>, A<sub>5</sub> and A<sub>6</sub>, and A<sub>7</sub> and A<sub>8</sub>, A<sub>9</sub> and A<sub>10</sub>, and A<sub>11</sub> and A<sub>12</sub> is such that the members thereof may be linked together to form a saturated or unsaturated ring;

~~with the proviso that in formula (I), at least one of A<sub>1</sub> to A<sub>4</sub> does not represent a hydrogen atom, that in formula (II), at least one of A<sub>5</sub> to A<sub>8</sub> does not represent a hydrogen atom; that in formula (III), at least one of A<sub>9</sub> and A<sub>10</sub> does not represent a hydrogen atom, and that in formula (IV), at least one of A<sub>11</sub> and A<sub>12</sub> does not represent a hydrogen atom;~~

wherein each of R<sub>1</sub> to [[R<sub>42</sub>]] R<sub>20</sub> represents a hydrogen atom, a substituted or unsubstituted alkyl group having 1 to 20 carbon atoms, a substituted or unsubstituted aryl group having 6 to 20 ring carbon atoms, or a cyano group; and

Serial No. 10/532,794

wherein each of  $X_1$  to  $X_3$  and  $X_2$  represents a substituted or unsubstituted arylene group having 6 to 20 ring carbon atoms).

2. (Original) An organic electroluminescent device material as described in claim 1, which is a light-emitting material for use in an organic electroluminescent device.

3. (Original) An organic electroluminescent device comprising a cathode, an anode, and one or more organic thin-film layers interposed between the cathode and the anode, the organic thin-layers including at least a light-emitting layer, wherein at least one of the organic thin-film layers contains the organic electroluminescent device material as recited in claim 1 in the form of single component material or a mixture of a plurality of components.

4. (Original) An organic electroluminescent device comprising a cathode, an anode, and one or more organic thin-film layers interposed between the cathode and the anode, the organic thin-layers including at least a light-emitting layer, wherein the light-emitting layer contains the organic electroluminescent device material as recited in claim 1 in an amount of 0.1 to 20 wt.%.

5. (Original) An organic electroluminescent device as described in claim 3, which further includes a layer containing an aromatic tertiary amine derivative and/or a phthalocyanine derivative, the layer being provided between the light-emitting layer and the anode.

6. (Original) An organic electroluminescent device as described in claim 4, which further includes a layer containing an aromatic tertiary amine derivative and/or a phthalocyanine derivative, the layer being provided between the light-emitting layer and the anode.

7. (Previously Presented) An organic electroluminescent device as described in claim 1, which emits blue light.